7400020

## THE UNIVERD SHAVES OF AMERICAL

# W. Brotherton Seed Company, Inc.

Wilherens, there has been presented to the

## Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF SCUCKEON YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT

PEA

'Conway'

In Lestimony Wincrest, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington this 16th day of May in the year of our Lord one thousand nine hundred and seventy-four

Fast & But

Ag.

5 4

FORM APPROVED OMB NO. 40-R3712

## UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE GRAIN DIVISION HYATTSVILLE, MARYLAND 20782

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

STRUCTIONS: See Reverse.  VARIETY NAME OR TEMPORARY	2. KIND NAME  Garden Pea		FOR OFFICIAL USE ONLY	
DESIGNATION Conway			74000 20	
GENUS AND SPECIES NAME	4. FAMILY NAME (Botanical)  Leguminosae		9.24.73	TIME A.M.
·			FEE BECEIVED	10:00 -
Pisum sativum	S DATE OF DETERM	, DATE OF DETERMINATION		\$ 0.00
	June 1971		\$ 757700	\$
· ·			\$ 250.00	\$
NAME OF APPLICANT(S)	7. ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code)			8. TELEPHONE AREA CODE AND NUMBER
Brotherton Seed Co., Inc.	P. O. Box	509-765-5131		
IF THE NAMED APPLICANT IS NOT A PE	RSON, FORM OF	10. STATE OF INCO	RPORATION	11. DATE OF INCOR-
ORGANIZATION: (Corporation, partnership,	association, etc.)	Washington		Feb. 1955
Corporation				
Name and mailing address of application. 3rd.	ant representative(s	), it any, to serve	in this application a	nu receive air papers.
Harley B. Brotherton, V	ice-President			
W. Brotherton Seed Co.,				
P. O. Box 906	<del>-</del>			
Moses Lake, Washington				
	8837	¢		
CHECK BOX BELOW FOR EACH ATTACH	MENT SUBMITTED:			
X 13A. Exhibit A, Origin and Bree			on 12 of the Flam Vi	inery I roccessorest,
🕱 138. Exhibit B, Botanical Desc	inputon of the variet	- y		
x 13c. Exhibit C, Objective Desc	ription of the Variet	У		
X 13D. Exhibit D, Data Indicative	e of Novelty			
x 13E. Exhibit E, Statement of th			-1	as at corrified seed?
4A. Does the applicant(s) specify tha (See Section 83(a), (If "Yes," an	t seed of this variet nswer 14B and 14C b	y be sold by variet elow.)	y name only as a cla	ss of Certified seed:
48. Does the applicant(s) specify tha	r this variety be			erations of production
limited as to number of generatio		beyond bree		
Imited do to manuer g	YES X NO	FOUNDATI	ON REGISTERE	D CERTIFIED
he applicant declares that a viable ance of a certificate and will be repl	sample of basic seed	d of this variety wit	ill be deposited upon h such regulations as	request before issus
The undersigned applicant(s) of thi				
uniform, and stable as required in S Plant Variety Protection Act.	Section 41 and is ent	titled to protection	under the provisions	of Section 42 of the
Applicant is informed that false rep	resentation herein c	an jeopardize prote	ection and result in r	enalties.
Tepricane is informed that the re-		W. B:	rotherton Seed (	la., Inc.
		Ву:		tou it d., Presid
(DATE)	<b>-</b>	(	SIGNATURE OF PRICE	
Sept 19, 1973	<u></u>		les molled	Sind !
(DATE)		- (	SIGNATURE OF APPLIC	AND A SANGER OF THE SANGER
			7.30	Galleria Barria de la profesiona de la compansión de la compansión de la compansión de la compansión de la comp

#### INSTRUCTIONS

AGRICULTURE

PVPO

GENERAL: Send an original copy of the application, exhibits and \$250.00 fee to U.S. Dept. of Agriculture, Agricultural Marketing Service, Grain Division, 6525 Belcrest Road, Hyattsville, Maryland 20782. (See Section 180.175 of the regulations and rules of practice.) Retain one copy for your files. All items on the face of the form are self-explanatory unless noted below.

#### TTEM

- Insert the date the applicant determined that he had a new variety based on the definition in Section 41\_(a) of the Act and decision is made to increase the seed.
- 13a First, give the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method. Second, give the details of subsequent stages of selection and multiplication. Third, indicate the type and frequency of variants during reproduction and multiplication and state how these variants may be identified. Fourth, provide evidence on stability.
- 13b First, give any special characteristics of the seed and of the plant as it passes through the seedling stage, flowering stage and the fruiting stage. Second, describe the mature plant and compare it with a similar commercial variety grown under the same conditions, and indicate the differences.
- 13c A supplemental form will be furnished by the PVPO to describe in detail a variety for each kind of seed.
- 13d Provide complete data indicative of novelty. Seed and plant specimens or photographs of seed and plant comparisons clearly indicating novelty may be submitted. Seeds submitted may be sterile.
- 13e Indicate whether applicant is the actual breeder, the employer of the breeder, the owner through purchase or inheritance, etc.

## Exhibit A. Origin and Breeding History of the Variety

- "Conway" was obtained from a hand pollinated cross between "Puget" and a variety which was resistant to Fusarium oxysisporum Race 5 obtained under the designated name of "Peru II". This was obtained from Mr. Morris Crampton of the Dept. of Scientific and Industrial Research, New Zealand. The line "Peru II" is a tall, indeterminate, late, (23rd node), round, yellow-seeded variety. Several plants of which were resistant to Race 5 when grown in the greenhouse in 1968. A description of Puget may be found in the W. Brotherton Seed Co. Variety Description 1968, (see attached copy).
- 2. From the F<sub>2</sub> generation, the progenies from this cross were screened for seed characteristics and vine type. Only those plants with green, wrinkled seed and determinate vine types were selected and screened for resistance to the Fusarium oxystsporum Race 5. "Conway" was selected in the F5 generation as the most promising and after further testing by the staff of W. Brotherton Seed Co. for commercial suitability was increased in New Zealnd in the winter of 1971-1972, in Washington in the summer of 1972, and in Arizona in the winter of 1972-1973.
- 3. "Conway" has been quite uniform during increase. Variability seemed confined chiefly to a variability in the node on which first flowering appears, namely 16th to 19th node with the vast majority blooming on the 17th and 18th nodes. Rogueing in this variety has been necessary only for the removal of a mixture of an early variety which got in during a winter increase period. This mixture is easily found in that it blooms several days earlier than "Conway" is taller and has only 1 or 2 flowers per truss whereas "Conway" is later, shorter, and consistantly 2 to 4 flowers per truss.

## Exhibit B Botanical Description of the Variety

"Conway" is a late determinant vined freezing pea very similar to the variety Puget.

"Conway" is a medium vine length (63km) with relatively short and heavy internodes which is only slightly tealler shorter to 11/1/1014 than Puget. "Conway" has the multipoded habit of bearing 2 to 3 pods on each peduncle. The pods are slightly shorter than those of Puget and the green peas at canning stage are quite indestinguishable from those of Puget.

"Conway" differs from Puget primarily in that it reaches maturity generally 3 to 5 days later and that it is resistant to Fusarium oxyetsporum Race 5, a wilt disease of peas that has become prevelant in the Skagit Valley growing area of Washington State.

UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
GRAIN DIVISION
HYATTSVILLE, MARYLAND 20782

(Pea)

## OBJECTIVE DESCRIPTION OF VARIETY

INSTRUCTIONS: Son Reverse. PEA (PISUM SATIVUM)						
NAME OF APPLICANT(S)	FOR OFFICIAL USE ONLY					
W. Brotherton Seed Co. Inc. ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code)	7400020					
P. O. Box 906	VARIETY NAME OR TEMPORARY DESIGNATION					
Moses Lake, Washington	DESIGNATION					
98837						
Place the appropriate number that describes the varietal character of this variety in the boxes below.  Place a zero in first box (e.s. 0 8 9 or 0 9 ) when number is either 99 or less or 9 or less.						
1. TYPE:						
1 = TAEL (Internodes straight) 2 = PRIMAR (Internodes zigzagi	DEN 2 = FIELD 3 = EDIBLE-PODDED					
2. SEASON:						
Node number of first bloom: 1 = EARLY (B · 12th node) 2 = MIDSEASON (13 ·	24th node) 3 = LATE (Greater than 24th node)					
3. MATURITY:						
No. of days Earlier than	S LAXTON WR 3 = LITTLE MARVEL					
0 1 No. of days Later than 5	WR 6 - AUSTRIAN WINTER					
4. PLANT HEIGHT:						
0 6 3 CM, HIGH						
© 0 Cm. Shorter than 5 ) 1 = ALASKA WR 2 = THOMAS LAXTON WR 3 = LITTLE MARVEL						
Cm. Taller than						
5. VINE:						
1 Habit: 1 = DETERMINATE 2 = INDETERMINATE 3 Stockiness:	1 = SLIM (Alaska) 3 = HEAVY (Alderman) 2 = MEDIUM (Thomas Laxton WR)					
Branching: 1 = NONE (Alaska) 2 = 1 - 2 BRANCHES (Little Marvel) 3 = MORE THAN 2 BRANCHES (Dwarf Gray Sugar)						
Node Color: 1 = GREEN 2 = RED BLOTCH 1 8 NUMB	ER OF NODES					
0 5 CM. INTERNODE LENGTH (Just below 1st flowering node)						
6. LEAFLETS:						
1 = LIGHT GREEN (Aleska WR) 2 = MED. GREEN (Thomes Lexton WR) 3 = DARK GREEN (Alderman) 4 = OTHER (Specify)						
3 Wax: 1 = NONE 2 = LIGHT 3 = MEDIUM 4 = HEAVY 2 Marbling:	1 - NONE 2 - MARBLED (Alaska)					
Number of leaflet pairs: 1 = NOT PAIRED 2 = ONE 3 = TWO 4 = THR	EEOR MORE occasionally 3 pairs					
7. STIPULES:						
2 1 = LACKING 2 = PRESENT 1 = NOT	CLASPING 2 = CLASPING					
2 1 = NOT MARBLED 2 = MARBLED 3 Size (Compa	red with leaflets): 1 = SMALLER 2 = SAME 3 = LARGER					
Color (Compared with leaflets): 1 = LIGHTER 2 = SAME 3 = DARKER						
8. FLOWER COLOR:						
1 = MONOCOLOR 2 = BICOLOR	4					
2   Venation   2   Standard   2   Wine   2   Keel	REENISH 3 = LAVENDER 4 = PURPLE ER (Specify)					

man en	the state of the s	14-20	O July		
FORM GR-470-14 (REV	ERSE)	·	Ш E 0.100		
9. PODS: 1 = \$7 Shape: 3 = CU	TRAIGHT 2 = SLIGHTLY CURVE	D 2 End: 1 = POIN	TED (Alder Jain) 2 BLUNT (Alaska)		
2 Color: 1 = LIGHT GREEN (Alaska WR) 2 = MEDIUM GREEN 3 = DARK GREEN (Alde Han)					
4 = OTHER (Specify)  1   Surface: 1 = SMOOTH 2 = ROUGH  2   1 = SHINY 2 = DUEL					
- SHINT 2 DOCL					
Borne: 1 = SINGLE 2 = DOUBLE 3 = SINGLE AND DOUBLE 4 = SINGLE, DOUBLE, & TRIPLE 5 = DOUBLE & TRIPLE 6 = TRIPLE 7 = OTHER (Specify)					
0 6 CM. LENGTH	1 5 MM W	IDTH (Between sutures)	NUMBER OF SEEDS PER POD		
10. SEEDS (95 - 100 Te	nderometer):		-		
Color: 1 = LIGHT GREEN (Perfection Canner) 2 = GREEN (Little Marvel) 3 = DARK GREEN (Dark Skin Perfection) 4 = OTHER (Specify)					
3 Shape: 1 = FLATTENED 2 = ANGULAR 3 = OVAL 4 = ROUNDED					
Surface: 1 = SMOOTH 2 = DIMPLED 3 - WRINKLED 1 Surface: 1 = SHINY 2 = DULL					
SEEDS (Mature, Dry):  1 Color: 1 = MONOCOLOR 2 - BICOLOR					
<del></del>		Melting Sugar) 2 = YELLOW (Ar	thur) 3 = CREAM & GREEN (Thomas Laxton)		
7 Primary Color:	4 = YELLOW 5 = LIGHT GF				
7 Secondary Color: 7 = DARK GREEN (Dark Skin Perfection) 8 = BLUE-GREEN (Alaska WR) 9 = BROWN 10 = RED 11 = GRAY 12 = BLACK					
Color Pattern: 1 = SPLASHED 2 = MOTTLED 3 = STRIPED 4 = FLECKED 5 = DOTTED					
1 Hilum Floor Color:	1 = WHITE 2 = TAN 3 = BL	ACK Sotyledon Color:	1 = YELLOW 2 = ORANGE 3 = GREEN		
2 2 GRAMS PER 100 SEED					
11. SEED SIEVE SIZE	ISTRIBUTION (95 - 100) Tenderome	ter): A V E	4.09		
Sieve (%): 0 2	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2 5 4 4 6 5	0 2 6 7 8		
12. PLANT REACTION: (0 = Not Tested; 1 = Susceptible; 2 = Resistant)					
0 1 = DROUGHT (W		OLD ( Alaska)	3 = HEAT (Wando)		
[ _ ]	Tested; 1 = Susceptible; 2 = Resistant	)			
2 FUSARIUM WILT	O NEAR	-WILT 0	DOWNY MILDEW		
0 ASCOCHYTA BLIC	SHT 1 POWD	ERY MILDEW	BACTERIAL BLIGHT		
0 MOSAIC	0 PEA E	NATION MOSAIC 0	YELLOW BEAN MOSAIC		
2 OTHER (Specify) Fusarium oxys/sporum Race 5					
14. INSECT: (0 = Not T	ested; 1 = Susceptible; 2 = Resistant)				
0 APHIDS OTHER (Specify)					
	ARIETY MOST CLOSELY RESEMB	LES THAT SUBMITTED			
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY		
Leafiness Leaf Color	Puget	Fresh Seed Color	Puget		
Pod Color	Puget	Mature Seed Color	Puget		
Pod Shape	Puget Puget	Seed Shape Plant Habit	Puget		
			Puget		
REFERENCES: The following publication may be used as a reference aid for the standardization of character descriptions and terms:  1. Shoemaker, D. N., 1934. Descriptions of Types of Principal American Varieties of Garden Peas. U.S.D.A.					
Miscellaneous Publication, No. 170.					
2. Hedrick, V. P., 1928. The Vegetables of New York. New York Agricultural Experiment Station. Vol. 1., Part 1.					
3. Wade, B. L., 1943. A Key to Pea Varieties. U.S.D.A. Circular No. 676.  Nickerson's or any recognized color fan may be used to determine color of the described variety.					

#### REVISED NOVEMBER 7, 1973

Exhibit D Attachment To Application No. 7400020, Pea, CONWAY

Data Indicative of Novelty:

The novelty of this variety (CONWAY) formerly designated NZ-2 grown as an experimental line in our breeding program, is based on the following characteristics:

"CONWAY" most closely resembles the variety "PUGET" than any other variety: CONWAY, is resistant to fusarium oxysisporum Race 5 whereas PUGET is susceptible, and CONWAY is 4 or 5 days later in maturity than PUGET.

## Exhibit E. Statement of the Basis of Applicant's Ownership

W. Brotherton Seed Co., Inc is the employer of the actual breeder of this variety (Conway), the breeder being Harley B. Brotherton.

W. Brotherton Seed Co., Inc. By: Wilber Brotherton 3rd.

Wille Brother to has Pres.

7

 $-\frac{1}{2} + H_0 g$